

Date: February 27, 2026



Imanol García

Seglan S.L.  
C/ Foronda, 6  
Madrid 28034  
SPAIN

**Re: *EMVCo Letter of Approval – EMV 3-D Secure Default-SDK Product***

**Approval / Reference Number: 3DS\_LOA\_SDK\_SESL\_020200\_01206**

**Approval Date: February 27, 2026**

**Approval Expiration Date: February 25, 2028**

Product Provider Name:	Seglan S.L.
Registration Number:	SESL.V 18 0015
Default-SDK Name:	Seglan 3DS iOS SDK BME
Default-SDK Version:	2.3.1.16
Tested Operating System Version(s):	iOS 26.2.1
Supported Operating System Version(s):	iOS 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 26.2.1
Implementation Conformance Statement:	3DS_ICS_SDK_SESL_020301_01206
EMV 3-D Secure Specification:	Version 2.3.1.1 Version 2.2.0
EMV 3-D Secure SDK Specification:	Version 2.3.1.1 Version 2.2.0
EMV 3-D Secure SDK Device Information:	Version 1.7
EMV 3-D Secure Specification Bulletin(s):	SB214 v3, SB255 v5, SB309 v1
EMV 3-D Secure SDK Specification Bulletin(s):	
3-D Secure Test Suite Names and Versions:	– EMV [SDK 2.3.1] Reduced SDK UI Test List Version 2.3.1.16 – EMV [Core 2.3.1] Regression 3DS Core 2.2.0 Test Suite Version 2.2.0.16 – 3DS 2.2.0 Bridging Message Extension 2.0 Test Suite Version 2.0.1.5
3-D Secure Test Suite Bulletin(s):	
EMV 3-D Secure SDK Device Information tested:	Version 1.7

EMV 3-D Secure Specification Bulletin(s) tested: SB214 v3, SB255 v5, SB309 v1

EMV 3-D Secure SDK Specification Bulletin(s)  
tested:

Dear Imanol García,

EMVCo, LLC ("EMVCo"), a Delaware limited liability company, has received your request for EMV 3-D Secure approval for the Default-SDK identified above. In connection with your request for approval, we have reviewed your report, identified by file number FIME\_CompTestReport\_ID5489 which was generated by Fime EMEA.

After assessing such file, EMVCo has determined that the above referenced Default-SDK sufficiently conforms to EMV 3-D Secure – SDK Specification and EMV 3-D Secure – Protocol and Core Functions Specification.

EMVCo hereby grants your Default-SDK EMV 3-D Secure Approval, based on the requirements stated in the EMV 2.2.0 and/or 2.3.1 Specifications. Please note that EMVCo may publicly identify your Default-SDK as an approved Default-SDK, including in EMVCo's published list of approved Default-SDK Products.

EMVCo's grant of Approval status to your Default-SDK is subject to the Supported Options as identified in Attachment B hereto and the Tested 3DS Extensions identified in Attachment C hereto and specifically incorporates (i) the terms and conditions of your 3-D Secure Approval Contract with EMVCo, and (ii) the Specific Terms and Conditions to the Letter of Approval attached hereto as Attachment A. Because EMVCo's grant is subject to such limitations, including certain events of termination, you and any third parties should confirm that such approval is current and has not been terminated by referring to the list of approved Default-SDK published on the EMVCo website ([www.emvco.com](http://www.emvco.com))

**This Letter of Approval is valid while the approval number is posted on the EMVCo website.**

EMVCo, LLC

Authorized by **Johnathan Hancock**

EMVCo 3-D Secure Testing Group Chair

# **Attachment A**

## **Specific Terms and Conditions to Letter of Approval**

During testing, the following issues were identified. Restrictions identified must be disclosed to customers (issuers or other product providers to whom the Product Provider intends to sell the product).

### **Restrictions, if any:**

### **Comments, if any:**

This Product has been tested on protocol 2.2.0 using a regression test plan, in accordance with the rules defined in 3DS Approval Bulletin 29 available on EMVCo website. This Product has been tested on protocol 2.3.1 using a limited SDK UI test plan, in accordance with the rules defined in 3DS Approval Bulletin 30 available on EMVCo website.

## Attachment B Supported Options

This product has been tested for the following Default-SDK options:

Supported Orientation(s)	
Portrait	<input checked="" type="checkbox"/>
Landscape	<input checked="" type="checkbox"/>

Supported Type of Device Parameters	
Android Device Parameters	<input type="checkbox"/>
iOS Device Parameters	<input checked="" type="checkbox"/>
Platform Provider Device Parameters	<input type="checkbox"/>

## Attachment C Tested 3DS Extensions

This product has been tested for the following 3DS extensions:

Bridging Message Extension	Version 2.0
Recurring data	N/A
Challenge data	<input checked="" type="checkbox"/>
Additional data	N/A
File URL data	N/A