October 16, 2024

Mr. Stefan Derev Datecs Ltd. 4 Datecs Str.

Sofia 1592 Bulgaria

Re:

EMVCo Letter of Approval - Contact Terminal Level 2

EMV Application Kernel:	Datecs EMV KERNEL Version 2.10.4
Approval Number(s):	2-05499-1-1C-BCTS-1024-4.4b
	2-05499-1-2C-BCTS-1024-4.4b
	2-05499-1-3C-BCTS-1024-4.4b
	2-05499-1-4C-BCTS-1024-4.4b
	2-05499-1-5C-BCTS-1024-4.4b
	2-05499-1-1P-BCTS-1024-4.4b
	2-05499-1-10S-BCTS-1024-4.4b

The EMV Application Kernel has been tested on the following terminal

Terminal:	DAKT-50
PinPad:	1P = DAKT-50, EOS (Custom Based) 1.0 - PIN pad is valid for
	configuration(s): 1C, 2C, 4C
Operating System:	1OS = EOS (Custom Based) Version 1.0

Renewal Date: 09-Oct-2028

Report ID Session 1: TEMV244PX1T Version V1.0 - Beijing Unionpay Card Technology Co., Ltd. Shenzhen Branch

Kernel Checksum:

DB0F01B3F1E0454FCE830E35D5B470C3ECF857D8

Configurations Checksums:

Config	Vendor Config ID	Terminal	Checksum
1C	AOnOffPOnOffNoC	22	AB39D39F543FD35B4293332D7E4EAA44A4BF31FB
	VM		
2C	AOnOffPOnOff	22	571532F960E37F0D0185B11B71B4AF60AF6EB4D7
3C	NoCVMSigAttende	22	C6BC8D2668FA3AF2CEB7BC312003050D4725C9C2
	d		
4C	AOnOffPOnOffNoC	25	E6863D9C18876EE26F6B7008F4E84C2906BF66FA
	VMUnattended		
5C	NoCVMSigUnatten	25	C8C234A4EB2C841D550F8CA29C07DEEAD4D210E7
	ded		

PIN Pads Checksums:

PinPad	Checksum	
1P	DB0F01B3F1E0454FCE830E35D5B470C3ECF857D8	

Dear Mr. Derev:

EMVCo, LLC ("EMVCo"), a Delaware limited liability company, has received your request for Level 2 terminal type approval for the EMV Application Kernel identified above (hereafter refered to as the "Application"). In connection with your request, we have reviewed all test file number(s) listed above.

After assessing such file(s), EMVCo has found reasonable evidence that the submitted samples of the above referenced Application sufficiently conform to EMV Integrated Circuit Card Specifications for Payment Systems, Version 4.4 of October 2022.

EMVCo hereby grants your Application EMVCo Type Approval for Terminal Level 2, based on the requirements stated in the EMV 4.4 Specifications. Please note that EMVCo may publish this letter and publicly identify your Application as an approved Application, including in EMVCo's published list of approved Applications.

EMVCo's grant to your Application is subject to and specifically incorporates (i) the General Terms and Conditions to the Letter of Approval enclosed as Exhibit A, and (ii) the Specific Terms and Conditions to the Letter of Approval attached hereto as Attachment 1. Because EMVCo's grant is subject to such limitations, including certain events of termination, you and any third parties should confirm that such approval is current and has not been terminated by referring to the list of approved Applications published on the EMVCo website (www.emvco.com).

Please note that EMVCo makes certain logos available for use in connection with an Application that has received EMVCo approval. To obtain permission to use the "EMV Approved" certification mark, please contact EMVCo to request a license agreement.

This Letter of Approval is valid while the approval number is posted on the EMVCo website.

Authorised by Frédéric Fortin Terminal Testing Group Chair EMVCo, LLC

Note:

The Random Number Generator is part of the EMV specifications. This Contact Level 2 Kernel utilizes a specific Hardware component in the tested terminal to generate random numbers. To be EMV compliant, this Contact Level 2 Kernel shall be used in conjunction with terminals having this specific hardware component.

Terminal Capabilities	1C	2C	3C	4C	5C				
Card Data Input Capability									
Terminal Type	22	22	22	25	25				
Manual Key Entry	Yes	Yes	Yes	Yes	Yes				
Magnetic Stripe	Yes	Yes	Yes	Yes	Yes				
IC with Contacts	Yes	Yes	Yes	Yes	Yes				
CVM Capability									
Plaintext PIN	Yes	Yes	No	Yes	No				
Online Enciphered PIN	Yes	Yes	No	Yes	No				
Signature (Paper)	Yes	Yes	Yes	No	No				
Offline Enciphered PIN (RSA)	Yes	Yes	No	Yes	No				
No CVM	Yes	No	Yes	Yes	Yes				
Offline Enciphered PIN (ECC)	No	No	No	No	No				
Biometric	No	No	No	No	No				
Offline Finger	No	No	No	No	No				
Online Finger	No	No	No	No	No				
Offline Facial	No	No	No	No	No				
Online Facial	No	No	No	No	No				
Offline Palm	No	No	No	No	No				
Online Palm	No	No	No	No	No				
Offline Iris	No	No	No	No	No				
Online Iris	No	No	No	No	No				
Offline Voice	No	No	No	No	No				
Online Voice	No	No	No	No	No				
Security Capability				1	1	1	-1		4
SDA & DDA	Yes	Yes	Yes	Yes	Yes				
Card Capture	No	No	No	No	No				
CDA	Mode 1								
XDA	No	No	No	No	No				
Transaction Type Capability				1	1	1		I	
Tran Type - Cash	No	No	No	No	No				
Tran Type - Goods	Yes	Yes	Yes	Yes	Yes				
Tran Type - Services	Yes	Yes	Yes	Yes	Yes				
Tran Type - Cash Back	Yes	Yes	Yes	Yes	Yes				
Tran Type - Inquiry	No	No	No	No	No				
Tran Type - Transfer	No	No	No	No	No				
Tran Type - Payment	No	No	No	No	No				
Tran Type - Admin	No	No	No	No	No				
Tran Type - Cash Deposit	No	No	No	No	No				
Terminal Data Input Capability	/					 			
Keypad	Yes	Yes	Yes	Yes	Yes				
Numeric Keys	Yes	Yes	Yes	Yes	Yes				
Alpha and Special Character Keys	Yes	Yes	Yes	Yes	Yes				
Command Keys	Yes	Yes	Yes	Yes	Yes				
Function Keys	Yes	Yes	Yes	Yes	Yes				

(continued)	1C	2C	3 C	4C	5C					
Terminal Data Output Capabil	ity									
Print, Attendant	Yes	Yes	Yes	No	No					1
Print, Cardholder	No	No	No	Yes	Yes					
Display, Attendant	Yes	Yes	Yes	No	No					
Display, Cardholder	No	No	No	Yes	Yes					-
Code Table 10	No	No	No	No	No					-
Code Table 9	No	No	No	No	No					-
Code Table 8	No	No	No	No	No					
Code Table 7	No	No	No	No	No					
Code Table 6	No	No	No	No	No					
Code Table 5	No	No	No	No	No					
Code Table 4	No	No	No	No	No					
Code Table 3	No	No	No	No	No					
Code Table 2	No	No	No	No	No					
Code Table 1	Yes	Yes	Yes	Yes	Yes					
Application Selection						1				
PSE	Yes	Yes	Yes	Yes	Yes					
Cardholder Confirmation	Yes	Yes	Yes	Yes	Yes					
Preferred display order	No	No	No	No	No					
Partial AID Selection	Yes	Yes	Yes	Yes	Yes					
Multi language	Yes	Yes	Yes	Yes	Yes					
EMV Language Selection method	No	No	No	No	No					
Common Character Set	Yes	Yes	Yes	Yes	Yes					
Data Authentication		1	1	1	1	1	1	1	1	_
MAX CA Public key	248	248	248	248	248					
Exponents	3 and 2^16+1	3 and 2^16+1	3 and 2^16+1	3 and 2^16+1	3 and 2^16+1					
Revocation of Issuer PK Certificate	No	No	No	No	No					
Certificate Revocation List Format										
Default DDOL	Yes	Yes	Yes	Yes	Yes					
Cardholder Verification Metho	d		1						-	
Bypass PIN Entry	Yes	Yes	No	Yes	No					
Subsequent Bypass PIN Entry	Yes	Yes	No	Yes	No					
Get Data for PIN Try Counter	Yes	Yes	No	Yes	No					
Fail CVM	Yes	Yes	Yes	Yes	Yes					
Amount known before CVM proces.	Yes	Yes	Yes	Yes	Yes					
Terminal Risk Management										-
Floor Limit Checking	Yes	Yes	Yes	Yes	Yes					
Random Transaction Selection	Yes	Yes	Yes	Yes	Yes					
Velocity Checking	Yes	Yes	Yes	Yes	Yes					
Transaction Log	No	No	No	No	No					
Exception File	Yes	Yes	Yes	Yes	Yes					
TRM irrespective of AIP setting (expected behavior)	Yes	Yes	Yes	Yes	Yes					

(continued)	1C	2C	3C	4C	5C			
Terminal Action Analysis								
Terminal Action Codes supported	Yes	Yes	Yes	Yes	Yes			
TAC can be deleted or disabled	No	No	No	No	No			
How does offline only Terminal process Default Action Codes?	N/A	N/A	N/A	N/A	N/A			
How does online only terminal process TAC/IAC-Default when unable to go online?	N/A	N/A	N/A	N/A	N/A			
Completion Processing	1	1		1	1		1	1
Forced Online	No	No	No	No	No			
Forced Acceptance	No	No	No	No	No			
Voice Referrals Initiated by Issuer	Yes	Yes	Yes	No	No			
Default TDOL	Yes	Yes	Yes	Yes	Yes			
Default TDOL not configured	Yes	Yes	Yes	No	No			
Exception Handling								
POS Entry Mode	81	81	81	81	81			
Miscellaneous	r.			r.			 1	
Amount and PIN on same keypad	Yes	Yes	No	Yes	No			
ICC/Magstripe Reader Combined	No	No	No	No	No			
Supports account type selection	Yes	Yes	Yes	Yes	Yes			
Supports 'on fly' script processing	No	No	No	No	No			
Issuer Script device limit > 128 bytes	Yes	Yes	Yes	Yes	Yes			
If limit > 128, value supported?	256	256	256	256	256			
Internal Date Management	No	No	No	No	No			
Does the terminal support Receipt?	Yes	Yes	Yes	Yes	Yes			

Attachment 1 Specific Terms and Conditions to the Letter of Approval

Restriction:

None