

November 21, 2022

Vipin K. Paul  
Verifone, Inc.  
2744 North University Drive  
Coral Springs 33065  
UNITED STATES OF AMERICA

**Re: EMVCo Letter of Approval - Contact Terminal Level 2 - Restricted Renewal**

**EMV Application Kernel: EMV L2 Version 7.0.3l**

**Approval Number(s):**  
**2-04358-1-1C-ULVS-1118-4.3g**  
**2-04358-1-2C-ULVS-1118-4.3g**  
**2-04358-1-3C-ULVS-1118-4.3g**  
**2-04358-1-4C-ULVS-1118-4.3g**  
**2-04358-1-5C-ULVS-1118-4.3g**  
**2-04358-2-6C-ULVS-1218-4.3g**  
**2-04358-2-7C-ULVS-1218-4.3g**  
**2-04358-2-8C-ULVS-1218-4.3g**  
**2-04358-3-9C-ULVS-0319-4.3g**  
**2-04358-3-10C-ULVS-0319-4.3g**  
**2-04358-3-11C-ULVS-0319-4.3g**  
**2-04358-3-12C-ULVS-0319-4.3g**  
**2-04358-4-13C-ULVS-0319-4.3g**  
**2-04358-5-14C-ULVS-0422-4.3j**  
**2-04358-1-10S-ULVS-1118-4.3g**

---

The EMV Application Kernel has been tested on the following terminal

**Terminal: Vx520**  
**PinPad: n/a**  
**Operating System: IOS = Linux Version 2.6**

---

**Expiry Date: 28-Nov-2026**

**Report ID**      Session 1: **2 HYPE-RP14428941JD01A-ULVS & 22-106-RA-VERI-703l-10 Version 1.0 - UL VS Ltd**  
Session 2: **2 HYPE-RP14428941JD01B-ULVS & 22-106-RA-VERI-703l-10 Version 1.0 - UL VS Ltd**

**Kernel Checksum:**

234576F7
----------

*Configurations Checksums:*

Config	Vendor Config ID	Terminal	Checksum
1C	549D909B	22	5FC6AD1B
2C	572F73C1	22	F2C24AFA
3C	9D6F4632	22	3E05007C
4C	579BEB33	22	0F602A4C
5C	568049F4	25	ADBEBD4D
6C	336D22CD	24	FE48EA81
7C	31077982	24	3EB96771
8C	DBE7E79A	25	D196BA9D
9C	AF62A57C	22	A5F485F3
10C	679F3C65	25	49D432BB
11C	48ACCCDC	25	CD05C972
12C	2C6E6025	25	599008D3
13C	568049F4A	25	FBB17ACE
14C	E55CF50F	22	9871B12F

Dear Vipin K. Paul:

EMVCo, LLC ("EMVCo"), a Delaware limited liability company, has received your request for Level 2 terminal type approval for the EMV Application Kernel identified above (hereafter referred to as the "Application"). In connection with your request, we have reviewed all test file number(s) listed above.

After assessing such file(s), EMVCo has found reasonable evidence that the submitted samples of the above referenced Application sufficiently conform to EMV Integrated Circuit Card Specifications for Payment Systems, Version 4.3 of November 2011.

EMVCo hereby grants your Application EMVCo Type Approval for Terminal Level 2 Restricted Renewal, based on the requirements stated in the EMV 4.3 Specifications. Please note that EMVCo may publish this letter and publicly identify your Application as an approved Application, including in EMVCo's published list of approved Applications. According to EMVCo Restricted Renewal policy the extension to the original Type Approval is granted for a period of three years. At the end of that additional validity period the Application Kernel will expire and cannot be submitted for another renewal.

EMVCo's grant to your Application is subject to and specifically incorporates (i) the General Terms and Conditions to the Letter of Approval enclosed as Exhibit A, and (ii) the Specific Terms and Conditions to the Letter of Approval attached hereto as Attachment 1. Because EMVCo's grant is subject to such limitations, including certain events of termination, you and any third parties should confirm that such approval is current and has not been terminated by referring to the list of approved Applications published on the EMVCo website ([www.emvco.com](http://www.emvco.com)).

Please note that EMVCo makes certain logos available for use in connection with an Application that has received EMVCo approval. To obtain permission to use the "EMV Approved" certification mark, please contact EMVCo to request a license agreement.

***This Letter of Approval is valid while the approval number is posted on the EMVCo website.***

EMVCo, LLC, a Delaware limited liability company

By:

Name: Frédéric Fortin

Title: EMVCo Terminal Type Approval Chair

**Note:**

**The Random Number Generator is part of the EMV specifications. This Contact Level 2 Kernel utilizes a specific Hardware component in the tested terminal to generate random numbers. To be EMV compliant, this Contact Level 2 Kernel shall be used in conjunction with terminals having this specific hardware component.**

Terminal Capabilities	1C	2C	3C	4C	5C	6C	7C	8C	9C	10C
<b>Card Data Input Capability</b>										
Terminal Type	22	22	22	22	25	24	24	25	22	25
Manual Key Entry	Yes	Yes	Yes	Yes	No	No	No	No	Yes	No
Magnetic Stripe	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
IC with Contacts	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>CVM Capability</b>										
Plaintext PIN	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	No
Online Enciphered PIN	Yes	No	No	No	Yes	Yes	Yes	Yes	Yes	No
Signature (Paper)	Yes	Yes	Yes	No	No	No	No	No	Yes	No
Offline Enciphered PIN	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	No
No CVM	Yes	No	Yes	Yes	No	Yes	No	Yes	No	Yes
SB185	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Offline Finger	No	No	No	No	No	No	No	No	No	No
Online Finger	No	No	No	No	No	No	No	No	No	No
Offline Facial	No	No	No	No	No	No	No	No	No	No
Online Facial	No	No	No	No	No	No	No	No	No	No
Offline Palm	No	No	No	No	No	No	No	No	No	No
Online Palm	No	No	No	No	No	No	No	No	No	No
Offline Iris	No	No	No	No	No	No	No	No	No	No
Online Iris	No	No	No	No	No	No	No	No	No	No
Offline Voice	No	No	No	No	No	No	No	No	No	No
Online Voice	No	No	No	No	No	No	No	No	No	No
<b>Security Capability</b>										
SDA & DDA	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Card Capture	No	No	No	No	No	No	No	No	No	No
CDA	Mode 1	Mode 1	Mode 1	Mode 1	Mode 1	Mode 1	Mode 1	Mode 1	Mode 1	Mode 1
<b>Transaction Type Capability</b>										
Tran Type - Cash	Yes	Yes	Yes	Yes	No	No	No	No	Yes	Yes
Tran Type - Goods	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tran Type - Services	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Tran Type - Cash Back	Yes	Yes	Yes	Yes	No	No	No	No	Yes	No
Tran Type - Inquiry	No	No	No	No	No	No	No	No	No	No
Tran Type - Transfer	No	No	No	No	No	No	No	No	No	No
Tran Type - Payment	No	No	No	No	No	No	No	No	No	No
Tran Type - Admin	No	No	No	No	No	No	No	No	No	No
Tran Type - Cash Deposit	No	No	No	No	No	No	No	No	No	No
<b>Terminal Data Input Capability</b>										
Keypad	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Numeric Keys	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Alpha and Special Character Keys	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Command Keys	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Function Keys	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

(continued)	1C	2C	3C	4C	5C	6C	7C	8C	9C	10C
<b>Terminal Data Output Capability</b>										
Print, Attendant	Yes	Yes	Yes	Yes	No	No	No	No	Yes	No
Print, Cardholder	No	No	No	No	Yes	Yes	Yes	Yes	No	Yes
Display, Attendant	Yes	Yes	Yes	Yes	No	No	No	No	Yes	No
Display, Cardholder	No	No	No	No	Yes	Yes	Yes	Yes	No	Yes
Code Table 10	No	No	No	No	No	No	No	No	No	No
Code Table 9	No	No	No	No	No	No	No	No	No	No
Code Table 8	No	No	No	No	No	No	No	No	No	No
Code Table 7	No	No	No	No	No	No	No	No	No	No
Code Table 6	No	No	No	No	No	No	No	No	No	No
Code Table 5	No	No	No	No	No	No	No	No	No	No
Code Table 4	No	No	No	No	No	No	No	No	No	No
Code Table 3	No	No	No	No	No	No	No	No	No	No
Code Table 2	No	No	No	No	No	No	No	No	No	No
Code Table 1	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Application Selection</b>										
PSE	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Cardholder Confirmation	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Preferred display order	No	No	No	No	No	No	No	No	No	No
Partial AID Selection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Multi language	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
EMV Language Selection method	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Common Character Set	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Data Authentication</b>										
MAX CA Public key	248	248	248	248	248	248	248	248	248	248
Exponents	3 and 2 <sup>16</sup> +1	3 and 2 <sup>16</sup> +1	3 and 2 <sup>16</sup> +1	3 and 2 <sup>16</sup> +1	3 and 2 <sup>16</sup> +1	3 and 2 <sup>16</sup> +1	3 and 2 <sup>16</sup> +1	3 and 2 <sup>16</sup> +1	3 and 2 <sup>16</sup> +1	3 and 2 <sup>16</sup> +1
Revocation of Issuer PK Certificate	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Certificate Revocation List Format	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number
Default DDOL	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Manual act. when CA PK loading fails	No	No	No	No	No	No	No	No	No	No
CA PK verified with check sum	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Cardholder Verification Method</b>										
Bypass PIN Entry	Yes	Yes	No	No	No	No	No	No	Yes	No
Subsequent Bypass PIN Entry	Yes	Yes	No	No	No	No	No	No	Yes	No
Get Data for PIN Try Counter	Yes	Yes	No	No	Yes	Yes	Yes	Yes	Yes	No
Fail CVM	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Amount known before CVM proces.	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
<b>Terminal Risk Management</b>										
Floor Limit Checking	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Random Transaction Selection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Velocity Checking	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Transaction Log	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Exception File	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
TRM irrespective of AIP setting (expected behavior)	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

(continued)	1C	2C	3C	4C	5C	6C	7C	8C	9C	10C
<b>Terminal Action Analysis</b>										
Terminal Action Codes supported	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
TAC can be deleted or disabled	No	No	No	No	No	No	No	No	No	No
How does offline only Terminal process Default Action Codes?	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A	N/A
How does online only terminal process TAC/IAC-Default when unable to go online?	N/A	N/A	N/A	N/A	N/A	Normal	Normal	N/A	N/A	N/A
<b>Completion Processing</b>										
Forced Online	Yes	Yes	Yes	Yes	No	No	No	No	Yes	No
Forced Acceptance	Yes	No	No	Yes	No	No	No	No	No	No
Advices	No	No	No	No	No	No	No	No	No	No
Voice Referrals Initiated by Issuer	Yes	Yes	Yes	Yes	No	No	No	No	Yes	No
Batch Data Capture	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Online Data Capture	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Default TDOL	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Default TDOL not configured	No	No	No	No	No	No	No	No	No	No
<b>Exception Handling</b>										
POS Entry Mode	0x80	0x80	0x80	0x80	0x80	0x80	0x80	0x80	0x80	0x80
<b>Miscellaneous</b>										
Amount and PIN on same keypad	No	No	No	No	No	No	No	No	No	No
ICC/Magstripe Reader Combined	No	No	No	No	No	No	No	No	No	No
If Combined, is Magstripe read first?	No	No	No	No	No	No	No	No	No	No
Supports account type selection	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	No
Supports 'on fly' script processing	No	No	No	No	No	No	No	No	No	No
Issuer Script device limit > 128 bytes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
If limit > 128, value supported?	0	0	0	0	0	0	0	0	0	0
Internal Date Management	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes
Does the terminal support Receipt?	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes	Yes

Terminal Capabilities	11C	12C	13C	14C						
<b>Card Data Input Capability</b>										
Terminal Type	25	25	25	22						
Manual Key Entry	Yes	No	Yes	No						
Magnetic Stripe	Yes	Yes	Yes	Yes						
IC with Contacts	Yes	Yes	Yes	Yes						
<b>CVM Capability</b>										
Plaintext PIN	Yes	Yes	Yes	No						
Online Enciphered PIN	No	No	Yes	No						
Signature (Paper)	No	No	No	Yes						
Offline Enciphered PIN	Yes	Yes	Yes	No						
No CVM	Yes	No	No	Yes						
SB185	Yes	Yes	Yes	Yes						
Offline Finger	No	No	No	No						
Online Finger	No	No	No	No						
Offline Facial	No	No	No	No						
Online Facial	No	No	No	No						
Offline Palm	No	No	No	No						
Online Palm	No	No	No	No						
Offline Iris	No	No	No	No						
Online Iris	No	No	No	No						
Offline Voice	No	No	No	No						
Online Voice	No	No	No	No						
<b>Security Capability</b>										
SDA & DDA	Yes	Yes	Yes	Yes						
Card Capture	No	No	No	No						
CDA	Mode 1	Mode 1	Mode 1	Mode 1						
<b>Transaction Type Capability</b>										
Transaction Type - Cash	Yes	No	No	Yes						
Transaction Type - Goods	Yes	Yes	Yes	Yes						
Transaction Type - Services	Yes	Yes	Yes	Yes						
Transaction Type - Cash Back	Yes	No	No	Yes						
Transaction Type - Inquiry	No	No	No	No						
Transaction Type - Transfer	No	No	No	No						
Transaction Type - Payment	No	No	No	No						
Transaction Type - Admin	No	No	No	No						
Transaction Type - Cash Deposit	No	No	No	No						
<b>Terminal Data Input Capability</b>										
Keypad	Yes	Yes	Yes	No						
Numeric Keys	Yes	Yes	Yes	No						
Alpha and Special Character Keys	Yes	Yes	No	No						
Command Keys	Yes	Yes	Yes	No						
Function Keys	Yes	Yes	Yes	No						

(continued)	11C	12C	13C	14C						
<b>Terminal Data Output Capability</b>										
Print, Attendant	No	No	No	Yes						
Print, Cardholder	Yes	Yes	Yes	No						
Display, Attendant	No	No	No	Yes						
Display, Cardholder	Yes	Yes	Yes	No						
Code Table 10	No	No	No	No						
Code Table 9	No	No	No	No						
Code Table 8	No	No	No	No						
Code Table 7	No	No	No	No						
Code Table 6	No	No	No	No						
Code Table 5	No	No	No	No						
Code Table 4	No	No	No	No						
Code Table 3	No	No	No	No						
Code Table 2	No	No	No	No						
Code Table 1	Yes	Yes	Yes	Yes						
<b>Application Selection</b>										
PSE	Yes	Yes	Yes	Yes						
Cardholder Confirmation	Yes	Yes	Yes	No						
Preferred display order	No	No	No	No						
Partial AID Selection	Yes	Yes	Yes	Yes						
Multi language	Yes	Yes	Yes	Yes						
EMV Language Selection method	Yes	Yes	Yes	Yes						
Common Character Set	Yes	Yes	Yes	Yes						
<b>Data Authentication</b>										
MAX CA Public key	248	248	248	248						
Exponents	3 and $2^{16}+1$	3 and $2^{16}+1$	3 and $2^{16}+1$	3 and $2^{16}+1$						
Revocation of Issuer PK Certificate	Yes	Yes	Yes	Yes						
Certificate Revocation List Format	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number	RID, CAPK index and Certificate Serial Number						
Default DDOL	Yes	Yes	Yes	Yes						
Manual act. when CA PK loading fails	No	No	No	No						
CA PK verified with check sum	Yes	Yes	Yes	Yes						
<b>Cardholder Verification Method</b>										
Bypass PIN Entry	No	No	No	No						
Subsequent Bypass PIN Entry	No	No	No	No						
Get Data for PIN Try Counter	Yes	Yes	Yes	No						
Fail CVM	Yes	Yes	Yes	Yes						
Amount known before CVM proces.	Yes	Yes	Yes	Yes						
<b>Terminal Risk Management</b>										
Floor Limit Checking	Yes	Yes	Yes	Yes						
Random Transaction Selection	Yes	Yes	Yes	Yes						
Velocity Checking	Yes	Yes	Yes	Yes						
Transaction Log	Yes	Yes	Yes	Yes						
Exception File	Yes	Yes	No	Yes						
TRM irrespective of AIP setting (expected behavior)	Yes	Yes	Yes	Yes						



(continued)	11C	12C	13C	14C						
<b>Terminal Action Analysis</b>										
Terminal Action Codes supported	Yes	Yes	Yes	Yes						
TAC can be deleted or disabled	No	No	No	No						
How does offline only Terminal process Default Action Codes?	N/A	N/A	N/A	N/A						
How does online only terminal process TAC/IAC-Default when unable to go online?	N/A	N/A	N/A	N/A						
<b>Completion Processing</b>										
Forced Online	No	No	No	Yes						
Forced Acceptance	No	No	No	No						
Advices	No	No	No	No						
Voice Referrals Initiated by Issuer	No	No	No	Yes						
Batch Data Capture	Yes	Yes	Yes	Yes						
Online Data Capture	Yes	Yes	Yes	Yes						
Default TDOL	Yes	Yes	Yes	Yes						
Default TDOL not configured	No	No	No	No						
<b>Exception Handling</b>										
POS Entry Mode	0x80	0x80	0x80	0x80						
<b>Miscellaneous</b>										
Amount and PIN on same keypad	No	No	No	No						
ICC/Magstripe Reader Combined	No	No	Yes	No						
If Combined, is Magstripe read first?	No	No	No	No						
Supports account type selection	Yes	Yes	No	No						
Supports 'on fly' script processing	No	No	No	No						
Issuer Script device limit > 128 bytes	Yes	Yes	Yes	Yes						
If limit > 128, value supported?	0	0	0	0						
Internal Date Management	Yes	Yes	Yes	Yes						
Does the terminal support Receipt?	Yes	Yes	Yes	Yes						

## **Attachment 1**

### **Specific Terms and Conditions to the Letter of Approval**

Restriction:

**None**