

July 26, 2021

Ms. Lee Eunsil

Korea Information & Communication Co., LTD

7F KCCI Bldg., 39 Sejong-daero

Jung-gu

Seoul 100-743

KOREA, REPUBLIC OF

**Re: EMVCo Letter of Approval - Contact Terminal Level 2**

**EMV Application Kernel: KICC EMV Kernel Version v9.7.1**

**Approval Number(s): 2-04868-1-1S-ICTK-0721-4.3j  
2-04868-1-1OS-ICTK-0721-4.3j**

---

The EMV Application Kernel has been tested on the following terminal

**Terminal: EASYCHECK PAD (EP-705)**

**PinPad: n/a**

**Operating System: 1OS = Linux (32bit) Version 2.6.31**

---

**Renewal Date: 26-Jul-2025**

**Report ID Session 1: EDT21020 Version 1.0 - ICTK Co., Ltd.**

**Kernel Checksum:**

887019778b34cdc0a4a2385a90de9842
----------------------------------

**Configuration Checksum:**

Config	Vendor Config ID	Terminal	Checksum
1S		21	ab7679ab2df19dafd61eff1fedeb8718

Dear Ms. Eunsil:

EMVCo, LLC ("EMVCo"), a Delaware limited liability company, has received your request for Level 2 terminal type approval for the EMV Application Kernel identified above (hereafter referred to as the "Application"). In connection with your request, we have reviewed all test file number(s) listed above.

After assessing such file(s), EMVCo has found reasonable evidence that the submitted samples of the above referenced Application sufficiently conform to EMV Integrated Circuit Card Specifications for Payment Systems, Version 4.3 of November 2011.

EMVCo hereby grants your Application EMVCo Type Approval for Terminal Level 2, based on the requirements stated in the EMV 4.3 Specifications. Please note that EMVCo may publish this letter and publicly identify your Application as an approved Application, including in EMVCo's published list of approved Applications.

EMVCo's grant to your Application is subject to and specifically incorporates (i) the General Terms and Conditions to the Letter of Approval enclosed as Exhibit A, and (ii) the Specific Terms and Conditions to the Letter of Approval attached hereto as Attachment 1. Because EMVCo's grant is subject to such limitations, including certain events of termination, you and any third parties should confirm that such approval is current and has not been terminated by referring to the list of approved Applications published on the EMVCo website ([www.emvco.com](http://www.emvco.com)).

Please note that EMVCo makes certain logos available for use in connection with an Application that has received EMVCo approval. To obtain permission to use the "EMV Approved" certification mark, please contact EMVCo to request a license agreement.

***This Letter of Approval is valid while the approval number is posted on the EMVCo website.***

EMVCo, LLC, a Delaware limited liability company

By:

Name: Frédéric Fortin

Title: EMVCo Terminal Type Approval Chair

Terminal Capabilities		Value Supported
<b>Card Data Input Capability</b>		
Manual Key Entry		No
Magnetic Stripe		Yes
IC with Contacts		Yes
<b>CVM Capability</b>		
Plaintext PIN for ICC Verification		Yes
Enciphered PIN for online Verification		Yes
Signature (Paper)		Yes
Enciphered PIN for offline Verification		No
No CVM Required		Yes
SB185		No
Offline Finger		No
Online Finger		No
Offline Facial		No
Online Facial		No
Offline Palm		No
Online Palm		No
Offline Iris		No
Online Iris		No
Offline Voice		No
Online Voice		No
<b>Security Capability</b>		
Static Data Authentication and Dynamic Data Authentication		No
Card Capture		No
Combined Dynamic Data Authentication / Application Cryptogram Generation		No
<b>Transaction Type Capability</b>		
Cash		No
Goods		Yes
Services		Yes
Cash Back		No
Inquiry		No
Transfer		No
Payment		No
Administrative		No
Cash Deposit		No
<b>Terminal Data Input Capability</b>		
Does terminal have keypad		Yes
Numeric Keys		Yes
Alphabetic and Special Character Keys		Yes
Command Keys		No
Function Keys		No
<b>Terminal Data Output Capability</b>		
Print, Attendant (Mandatory for terminals supporting signature)		Yes
Print, Cardholder		No
Display, Attendant (Mandatory for Attended terminals)		Yes
Display Cardholder		Yes

Terminal Capabilities		Value Supported
<b>Terminal Data Output Capability</b>		
Code Table 10		No
Code Table 9		No
Code Table 8		No
Code Table 7		No
Code Table 6		No
Code Table 5		No
Code Table 4		No
Code Table 3		No
Code Table 2		No
Code Table 1		No
<b>Application Selection</b>		
Support PSE selection Method		Yes
Support Cardholder Selection & Confirmation		Yes
Does Terminal have a preferred order of displaying applications		No
Does terminal perform partial AID selection		Yes
Does the terminal have multi language support		No
Does the terminal support the EMV Language Selection method		No
Does the terminal support the Common Character Set as defined in Annex B table 20 Book 4		Yes
<b>Selectable Kernel Configurations</b>		
Is your Multi-Configuration Kernel capable of dynamically selecting a configuration at the time of transaction		n/a
<b>Data Authentication</b>		
What is the maximum supported Certificate Authority Public Key Size (Mandatory for terminals supporting Data Authentication with minimal support for 248 bytes)		N/A
What exponents does the terminal support (Mandatory for terminals supporting Data Authentication, 3 and 2 <sup>16</sup> +1)		N/A
During data authentication does the terminal check validity for revocation of Issuer Public Key Certificate		No
When supporting certificate revocation, what is the Certificate Revocation List format?		N/A
Does the terminal contain a default DDOL (Mandatory for terminals supporting DDA)		No
Is operator action required when loading CA Public Key fails		No
CA Public Key verified with CA Public Key Check Sum		No
<b>Cardholder Verification Method</b>		
Terminal supports bypass PIN Entry		Yes
Terminal supports Subsequent bypass PIN Entry		Yes
Terminal supports Get Data for PIN Try Counter		Yes
Terminal supports Fail CVM		Yes
Are amounts known before CVM processing		Yes
<b>Terminal Risk Management</b>		
Floor Limit Checking (Mandatory for offline only terminals and offline terminals with online capability)		Yes
Random Transaction Selection (Mandatory for offline terminals with online capability, except when cardholder controlled)		No
Velocity Checking (Mandatory for offline only terminals and offline terminals with online capability)		No
Transaction Log		No
Exception File		No
Performance of Terminal Risk Management irrespective of AIP setting (expected behavior)		Yes

Terminal Capabilities		Value Supported
<b>Terminal Action Analysis</b>		
Does the terminal support Terminal Action Codes		Yes
Can the Terminal Action Codes be deleted or disabled?		No
If yes what are the default TAC values supported? (according to Book 3 Section 10.7)	TAC Denial:	
	TAC Online:	
	TAC Default:	
How does Offline Only Terminal process Default Action Codes prior to First Generate AC? (Offline Only Terminal shall support one option)		N/A
How does online only terminal process TAC/IAC-Default when unable to go online?		Normal
<b>Completion Processing</b>		
Transaction Forced Online Capability		No
Transaction Forced Acceptance Capability		No
Does terminal Support advices		No
Does the terminal support Issuer initiated Voice Referrals		Yes
Does the terminal support Batch Data Capture		No
Does the terminal support Online Data Capture		Yes
Does the terminal support a Default TDOL		Yes
If a Default TDOL is supported, can this default TDOL be not configured (or not loaded) in the terminal		Yes
Default TDOL TVR bit set before or after the 1st Generate AC Terminal Action Analysis		Before
<b>Exception Handling</b>		
What is the POS Entry Mode value when IC cannot be read and the transaction falls back using Magstripe (Mandatory for attended terminals)		02
<b>Miscellaneous</b>		
Is the terminal equipped with a PIN Pad		Yes
Is the amount and PIN entered at the same keypad		Yes
Is the ICC/Magstripe Reader combined		No
If Combined ICC/Magstripe reader is supported, is Magstripe read first		No
Does the terminal support account type selection		No
Does the terminal support 'on fly' script processing (not recommended behavior)		No
Is the Issuer Script device limit greater than 128 bytes		No
If the Issuer Script device limit is greater than 128 bytes, what is the value supported		
Does the terminal support Internal Date Management		No
Is the Level 2 Contact Kernel Random Generator using the algorithm described in SB144		No
If the Level 2 Contact Kernel Random Generator is not using the algorithm described in SB144, is this function PCI approved		No
If the Level 2 Contact Kernel Random Generator is not using the algorithm described in SB144, describe the function (such as algorithm used, etc)		<p>Random Number Generation Algorithm To make unpredictable random number, the terminal uses WELL random number generator (PRNG) algorithm. It is by far the most widely used general-purpose PRNG. And the terminal uses timer count register value of the chip as a seed value when initializing. WELL random number generation algorithm</p> <pre> #define W 32 #define R 16 #define PP 0 #define M1 13 #define M2 9 #define M3 5 #define MAT0POS(t,v) (v^(v&gt;&gt;t)) #define MAT0NEG(t,v) (v^(v&lt;&lt;(-t))) #define MAT3NEG(t,v) (v&lt;&lt;(-t)) #define MAT4NEG(t,b,v) (v ^ ((v&lt;&lt;(-t)) &amp; b)) #define V0 STATE[state_i] #define VM1 STATE[(state_i+M1) &amp; 0x0000000fU] #define VM2 STATE[(state_i+M2) &amp; 0x0000000fU] #define VM3 STATE[(state_i+M3) &amp; 0x0000000fU] #define VRm1 STATE[(state_i+15) &amp; 0x0000000fU] #define VRm2 STATE[(state_i+14) &amp; 0x0000000fU] #define newV0 STATE[(state_i+15) &amp; 0x0000000fU] #define newV1 STATE[state_i] #define newVRm1 STATE[(state_i+14) &amp; 0x0000000fU] static unsigned int state_i = 0; static unsigned int STATE[R]; static unsigned int z0, z1, z2; void </pre>

```

InitMT2002(unsigned int *seed, int n, unsigned int
*state) { int i; state[0] = *seed; for (i = 1; i < n;
i++) { state[i] = 1812433253UL * ( state[i - 1] ^
( state[i - 1] >> 30 ) ) + i; } } void
InitWELLRNG512a (unsigned int *init) { int j;
state_i = 0; for (j = 0; j < R; j++) STATE[j] =
init[j]; } void InitWell512a() { unsigned int
state[16]; unsigned int seed; struct timeval g_tv; /*
The gettimeofday() function get the current Time.
(Linux API )*/ gettimeofday(&g_tv, NULL); seed =
g_tv.tv_sec * 1000000 + g_tv.tv_usec;
InitMT2002(&seed, 16, state);
InitWELLRNG512a(state); } unsigned int
WELLRNG512a (void) { z0 = VRm1; z1 =
MAT0NEG (-16,V0) ^ MAT0NEG (-15, VM1); z2
= MAT0POS (11, VM2) ; newV1 = z1 ^ z2; newV0
= MAT0NEG (-2,z0) ^ MAT0NEG(-18,z1) ^
MAT3NEG(-28,z2) ^
MAT4NEG(-5,0xda442d24U,newV1) ; state_i =
(state_i + 15) & 0x0000000fU; return
STATE[state_i]; }

```

Is the Level 2 Contact Kernel Software dependent on the Terminal Hardware	No	
If answer to previous question is Yes, describe the function and the Hardware	N/A	
Are the Cryptographic functions (RSA, Hash, etc) of the Level 2 Contact Kernel Software dependent on the Terminal Hardware	No	
If answer to previous question is Yes, describe the Hardware	N/A	
Is any other functions of the Level 2 Contact Kernel Software dependent on the Terminal Hardware	No	
If answer to previous question is Yes, describe the functions and the Hardware	N/A	

Terminal Capabilities		Value Supported
<b>Miscellaneous</b>		
Does the terminal support Receipt (by printing or any electronic means)?	Yes	
Does the terminal store declined transactions?	No	
List the Currency Codes supported as for ISO 4217	410	
Does the terminal support the Application Selection Registered Proprietary Data (ASRPD)?	No	
List the Language(s) supported as for ISO 639 (minimum one shall be declared, and up to 4 if Multiple Languages are supported)	ko	
Can the Kernel be configured so the data object 'Terminal Risk Management Data' '9F1D' is absent or configured with no value (00 is a value)?	Yes	
Can the Transaction Sequence Counter (TSC) be personalized to any value?	Yes	
If answer to previous question is Yes, what is the Maximum Value of the Transaction Sequence Counter?	99999999	
<b>Checksum</b>		
Does the product comply with the Checksum rules as defined in Contact Terminal Level 2 administrative process	Yes	
This is an Initial submission or Subsequent submission or renewal of the original approved product prior to the effective date of checksum rules (cf Terminal Type Approval Bulletin No. 134)	n/a	
Configuration Checksum (Static Kernel only)	ab7679ab2df19dafd61eff1fedeb8718	

# **Attachment 1**

## **Specific Terms and Conditions to the Letter of Approval**

Restriction:

**None**